

EIZO FlexScan - S1934H



✓ Delivery time: 3-4 days

EIZO FlexScan S1934H - LED monitor - 19" - 1280 x 1024 - IPS - 250 cd/m² - 1000:1 - 14 ms - DVI-D

- VGA
- DisplayPort - speakers - grey

Manufacturer **EIZO**
EAN 4995047064169
Manufacturer# 21666

Description

EIZO FlexScan S1934H - LED-Monitor - 48.1 cm (19") - 1280 x 1024 - IPS - 250 cd/m² - 1000:1 - 14 ms - DVI-D, VGA, DisplayPort - Lautsprecher - Grau

Specification

Product Description	EIZO FlexScan S1934H - LED monitor - 19"
Device Type	LED-backlit LCD monitor - 19"
Panel Type	IPS
Aspect Ratio	5:4
Native Resolution	1280 x 1024
Pixel Pitch	0.293 mm
Brightness	250 cd/m ²
Contrast Ratio	1000:1
Response Time	14 ms (grey-to-grey)
Input Connectors	DVI-D, VGA, DisplayPort
Display Position	Height, pivot (rotation), swivel, tilt

Adjustments	
Voltage	AC 120/230 V (50/60 Hz)
Colour	Grey
Dimensions (WxDxH) - with stand	40.5 cm x 20.5 cm x 40.65 cm
Weight	5.6 kg
Environmental Standards	ENERGY STAR Qualified
Compliant Standards	FCC Class B certified, TUV GS, DVI DMPM, TUV S, VESA DPMS, CB, ICES-003 Class B, CCC, TUV Ergo, RoHS, WEEE, cTUVus, VCCI Class B, EAC, RCM
Manufacturer Warranty	5-year warranty

Techn. Details

Display Type	LED-backlit LCD monitor / TFT active matrix
Diagonal Size	19"
Panel Type	IPS
Aspect Ratio	5:4
Native Resolution	1280 x 1024
Pixel Pitch	0.293 mm
Brightness	250 cd/m²
Contrast Ratio	1000:1
Response Time	14 ms (grey-to-grey)
Vertical Refresh Rate	55 - 61 Hz
Horizontal Refresh Rate	31 - 64 kHz
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Backlight Technology	LED backlight
OSD Languages	Chinese (traditional), Chinese (simplified), English, German, French, Italian, Swedish, Spanish, Japanese
Features	HDCP, Auto EcoView, Auto Brightness Control, EyeCare Utility, Flicker Free technology
Colour	Grey

Dimensions (WxDxH)	40.5 cm x 20.5 cm x 40.65 cm - with stand
Weight	5.6 kg
Type	Speakers - stereo
Output Power / Channel	1 Watt
Interfaces	DVI-D (HDCP) VGA Audio line-in Headphones DisplayPort
Display Position Adjustments	Height, pivot (rotation), swivel, tilt
Tilt Angle	0/+30
Swivel Angle	70
Rotation Angle	90
Height Adjustment	100 mm
VESA Mounting Interface	100 x 100 mm
Features	Portrait / landscape mode
Cables Included	1 x audio cable 1 x DVI cable - DVI-D to DVI-D 1 x VGA cable
Compliant Standards	FCC Class B certified, TUV GS, DVI DMPM, TUV S, VESA DPMS, CB, ICES-003 Class B, CCC, TUV Ergo, RoHS, WEEE, cTUVus, VCCI Class B, EAC, RCM
Input Voltage	AC 120/230 V (50/60 Hz)
Power Consumption (Typical)	9 Watt
Power Consumption Stand by	0.5 Watt
Included Software	EIZO ScreenSlicer, EIZO ScreenManager Pro
Dimensions & Weight Details	Without stand - width: 40.5 cm - depth: 6.15 cm - height: 33.4 cm - weight: 4.6 kg
ENERGY STAR Certified	Yes
Service & Support	Limited warranty - 5 years - on-site
Min Operating Temperature	5 °C
Max Operating Temperature	35 °C
Humidity Range Operating	20 - 80% (non-condensing)

Related Prod.

Wandhalterung (8 ▲)



Multibrackets M VESA Wallmount I - Mounting kit (wall mount) - for LCD display - black - screen size: 15"-32" - wall-mountable



One For All Smart WM 2141 - Bracket - for LCD display - screen size: 13"-27" - wall-mountable



One For All Smart WM 2111 - Mounting kit (wall mount) - Flat - for flat panel - screen size: 13"-27" - wall-mountable



Video-Kabel (21 ▲)



HDGear Kabel DVI-D - DVI-D, 2 m, Kabeltyp: Anschlusskabel, Videoanschluss Seite A: DVI-D, Videoanschluss Seite B: DVI-D, Farbe: Schwarz, Kabellänge: 2 m, DVI-D Dual Link



DeLOCK - DisplayPort cable - DisplayPort (M) to DisplayPort (M) - 3 m - latched - black



HDGear - DVI cable - dual link - DVI-D (M) to DVI-D (M) - 3 m



Tischhalterungen (10 ▲)



Multibrackets Tischhalterung Gas Lift Arm Desk bis 21 kg ü Schwarz, Eigenschaften: Schwenkbar, Neigbar, Drehbar, Maximale Bildschirmgröße: 32 ", Farbe: Schwarz, Maximale Tragkraft: 21 kg, Anzahl Bildschirme: 1



Neomounts NM-D775 - Mounting kit - full-motion - for LCD display - silver - screen size: 10"-32" - clamp mountable, grommet, desk-mountable



Multibrackets Tischhalterung Gas Lift Arm Single bis 21 kg ü Schwarz, Eigenschaften: Drehbar, Neigbar, Schwenkbar, Maximale Bildschirmgröße: 32 ", Farbe: Schwarz, Maximale Tragkraft: 21 kg, Anzahl Bildschirme: 1



Monitor Standfuss



Multibrackets M VESA Desktopmount Single Stand - Stand for LCD display - aluminium, steel - black - screen size: 24"-32" - desktop stand



Multibrackets M VESA Desktopmount Dual Stand - Stand for 2 LCD displays - aluminium, steel - black - screen size: 24"-32" - desktop stand



Steckerleisten (8 ▲)

A. Steffen STEBA VARIABL - Power strip - input: T12 - output connectors: 8 (T13) - 5 m - black



A. Steffen STEBA VARIABL - Power strip - input: T12 - output connectors: 6 (T13) - 5 m - black



Brennenstuhl Steckdosenleiste cleverLINE 9x T13, Einsatzgebiet: Indoor, Detailfarbe: Weiss, Kinderschutz: Nein, Steckertyp Ausgang: T13, Material: Kunststoff, Schalter: 1 Schalter



Reinigung PC/Peripherie (6 ▲)



AF Reinigungsmaterial Bildschirmreiniger Screen-Clene-Duo je 20 Stück, Produkttyp: Bildschirmreinigung



AF Reinigungsmaterial Reinigungstuch, Produkttyp: Mikrofaserstuch



AF Reinigungsmaterial Bildschirmreiniger, Produkttyp: Bildschirmreinigung



PC-Lautsprecher (6 ▲)



Logitech Z207 - Speakers - for PC - 2.0-channel - wireless - Bluetooth - 5 Watt (Total) - black



Logitech Z533 - Speaker system - for PC - 2.1-channel - 60 Watt (Total)



Logitech Z625 - Speaker system - 2.1-channel - 200 Watt (Total)

