Be quiet! - PURE BASE 600



Delivery time: 1-2 days

Be quiet! PURE BASE 600 - Tower - ATX - no power supply (ATX / PS/2) - silver - USB/Audio

Manufacturer	be quiet!
EAN	4260052185421
Manufacturer#	BG022
Tagged as	New Top Favorite

Description

Specification

Weitere Informationen	
Farbe	Schwarz Silber
Material	ABS Stahl
Sichtfenster	Nein
Laufwerke	
3,5" Laufwerkschächte (intern)	3
5,25" Laufwerkschächte (intern)	2
Hot-Swap Unterstützung	Nein
2,5" Laufwerkschächte (intern)	8
Dimensionen	
Gehäuse Bauart	Mid-Tower

Unterstützte Mainboards	ATX Micro-ATX Mini-ITX
Gewicht	7.44 kg
Unterstützte Grafikkartenlänge	470 mm
Breite	220 mm
Höhe	470 mm
Tiefe	492 mm
Abmessungen	243 mm (B) x 585 mm (H) x 577 mm (T)
Schnittstellen	

Product Description	be quiet! Pure Base 600 - tower - ATX
Product Type	System cabinet
Form Factor	Tower
Colour	Silver
I/O Connectors	2 x USB 3.0 ¦ 1 x microphone ¦ 1 x headphones
Supported Motherboards	ATX, microATX, Mini-ITX
System Cabinet Features	Removable dust filter, front dust filter, supports 120 mm radiator in rear, side panel sound-damping foam mats, removable HDD cage, bottom dust filter, supports 120/140/240/280/360 mm radiator in front panel, supports 120/240/360 mm radiator in top, top panel sound-damping foam mats, front panel sound-damping foam mats, manual fan speed control (3 channel)
Power Device	No power supply (ATX / PS/2)
Dimensions (WxDxH)	22 cm x 49.2 cm x 47 cm
Weight	7.44 kg
Manufacturer Warranty	3-year warranty

Techn. Details

Form Factor	Tower
Max Mainboard Size	ATX
Supported Motherboards	ATX, microATX, Mini-ITX
Internal Bays Qty	8
Front	2

Accessible Bays Qty	
Product Material	Steel, ABS plastic
Colour	Silver
Cooling System	Front: 140 x 140 x 25 mm fan x 1 / 900 rpm / 55.8 cfm / 17.1 dBA / 1 x 120/140 mm fan supported ¦ Rear: 120 x 120 x 25 mm fan x 1 / 1200 rpm / 41.7 cfm / 16.8 dBA / Pure Wing 2 ¦ Top: 140 mm fan mount x 2 / 2 x 140 mm fan or 3 x 120 mm fan supported
CPU Cooler Max Height	165 mm
Video Card Max Length	425 mm
System Cabinet Features	Removable dust filter, front dust filter, supports 120 mm radiator in rear, side panel sound-damping foam mats, removable HDD cage, bottom dust filter, supports 120/140/240/280/360 mm radiator in front panel, supports 120/240/360 mm radiator in top, top panel sound-damping foam mats, front panel sound-damping foam mats, manual fan speed control (3 channel)
Expansion Bays	2 (total) / 2 (free) x front accessible - 5.25" ¦ 2 (total) / 2 (free) x internal - 2.5" ¦ 3 (total) / 3 (free) x internal - 2 x 2.5"/3.5" shared
Expansion Slots	7
Interfaces	2 x USB 3.0 ¦ 1 x microphone - mini-jack ¦ 1 x headphones - mini-jack
Included Accessories	Cable ties, screws
Power Device	No power supply
Specification Compliance	ATX / PS/2
Width	22 cm
Depth	49.2 cm
Height	47 cm
Weight	7.44 kg
Service & Support	Limited warranty - 3 years

Related Prod.

SSD *(7 ⏏)*



Crucial BX500 SSD 1TB 2.5 Zoll SATA 6Gb/s - interne Solid-State-Drive - Kapazitä

✔



WD SSD 2.5/" 1TB Red / NAS 24x7 /SATA3 (Di)

✔

Crucial MX500 - Solid state drive - encrypted - 1 TB - internal - 2.5" - SATA 6Gb/s - 256-bit AES - TCG Opal



Encryption 2.0

Gehäuselüfter *(11 ⏏)*



Cooler Master PC-Lüfter Sickleflow 140 ARGB, Beleuchtung: Ja, Lüfterdimension: 140 mm, Schnittstellen: 4-Pin (PWM), Betriebsspannung: 12 V



be quiet! Gehäuselüfter Pure Wings 2 140 Highspeed, Lüfterdimension: 140 mm, Schnittstellen: 3-Pin, Betriebsspannung: 12 V



LL140 Dual Light Loop RGB LED Fan single pack

PC-Mainboards *(5 ⏏)*



PRIME B550-PLUS



PRIME B450-PLUS B450 ATX SND+GLN+U3.1+M2 SATA 6GB/S DDR4 IN AM4 ML



B550M PHANTOM GAMING 4 AM4 MATX SND+GLN+U3.2+M2 SATA 6GB/S DDR4 AM4 IN CPNT

Weiteres Zubehör Gehäuse *(10 ⏏)*

SilverStone FF123 - System fan filter - white



Delock Gummifüsse 8 x 3mm 70 Stück, rund, selbtklebend, schwarz, Selbstklebend (3M Klebepad), 70 Stück



Delock Gummifüsse 5 x 2mm rund, selbstklebend, 100 Stück, schwarz, Selbstklebend (3M Klebepad), 100 Stück

Weiteres Zubehör HDD/SSD



ICY BOX Kühlkörper mit Lüfter für M.2 SSD

Netzteil *(4 ⏏)*



ROG-STRIX-650G



Chieftec Netzteil PPS-1250FC 1250 W, Kühlungstyp: Aktiv, 80 PLUS Zertifikat: 80 PLUS Gold, Netzteil Nennleistung: 1250 W, Netzteil Kabelstrang: Voll-modular, Netzteil Formfaktor: ATX



Chieftec Polaris Series - Power supply (internal) - ATX12V 2.3/ EPS12V - 80 PLUS Gold - AC 100-240 V - 1050 Watt - active PFC

HDD



Seagate Barracuda ST1000DM010 - Hard drive - 1 TB - internal - 3.5" - SATA 6Gb/s - 7200 rpm - buffer: 64 MB



WD Blue WD10EZEX - Hard drive - 1 TB - internal - 3.5" - SATA 6Gb/s - 7200 rpm - buffer: 64 MB - for My Cloud EX2



Toshiba P300 - Hard drive - 1 TB - internal - 3.5" - SATA 6Gb/s - 7200 rpm - buffer: 64 MB

Date added: 2017-05-02 09:54:21 / SID: 80250 / DID: 524208